

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/662,394	09/16/2003	Yuichi Akiyama	1344.1125	2179
21171 7590 12/20/2006 STAAS & HALSEY LLP			EXAMINER	
SUITE 700			LEUNG, WAI LUN	
1201 NEW YORK AVENUE, N.W. WASHINGTON, DC 20005			ART UNIT	PAPER NUMBER
			2613	· · · · · · · · ·
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	· DELIVERY MODE	
3 MONTHS		12/20/2006	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		51
	Application No.	Applicant(s)
Office Ashing Company	10/662,394	AKIYAMA ET AL.
Office Action Summary	Examiner	Art Unit
	Danny Wai Lun Leung	2613
The MAILING DATE of this communication Period for Reply	appears on the cover sheet with	the correspondence address
A SHORTENED STATUTORY PERIOD FOR RE WHICHEVER IS LONGER, FROM THE MAILING Extensions of time may be available under the provisions of 37 CFI after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory pe Failure to reply within the set or extended period for reply will, by st Any reply received by the Office later than three months after the meanned patent term adjustment. See 37 CFR 1.704(b).	G DATE OF THIS COMMUNICA R 1.136(a). In no event, however, may a rep to the state of the state o	ATION. ly be timely filed AS from the mailing date of this communication. NDONED (35 U.S.C. § 133).
Status	•	
1) Responsive to communication(s) filed on 1	6 September 2003.	
2a) This action is FINAL . 2b) ⊠ ⁻	This action is non-final.	
3) Since this application is in condition for allocation closed in accordance with the practice und	•	•
Disposition of Claims	÷	
4) ⊠ Claim(s) <u>1-14</u> is/are pending in the applicate 4a) Of the above claim(s) is/are with 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-14</u> is/are rejected. 7) □ Claim(s) is/are objected to.	drawn from consideration.	
8) Claim(s) are subject to restriction ar	nd/or election requirement.	
Application Papers		
9) The specification is objected to by the Exan		
10)⊠ The drawing(s) filed on 16 September 2003		
Applicant may not request that any objection to Replacement drawing sheet(s) including the co		
11) The oath or declaration is objected to by the	· · · · · · · · · · · · · · · · · · ·	
Priority under 35 U.S.C. § 119		
12) △ Acknowledgment is made of a claim for fore a) △ All b) ☐ Some * c) ☐ None of: 1. △ Certified copies of the priority documents of the priority documents.	nents have been received.	
2. Certified copies of the priority docum		
 Copies of the certified copies of the application from the International Bu 	•	eceived in this National Stage
* See the attached detailed Office action for a	•	eceived.
2 2 2 3.12 2.1.22 2.1.23 2.1.33 2.1.31 101 2		
		•
Attachment(s)		
1) Notice of References Cited (PTO-892)	• —	mmary (PTO-413)
 Notice of Draftsperson's Patent Drawing Review (PTO-948 Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 9/16/2003. 		Mail Date ormal Patent Application -

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 1-14 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 4. Claims 1-3 provides for the method of monitoring an optical signal to noise ratio, but, since the claim does not set forth any steps involved in the method/process, it is unclear what method/process applicant is intending to encompass. A claim is indefinite where it merely recites a use without any active, positive steps delimiting how this use is actually practiced.
- 5. Claim 1 recites the limitation "the degree of polarization" in line 2. There is insufficient antecedent basis for this limitation in the claim.
- 6. Claim 4 recites the limitation "the degree of polarization" in line 4. There is insufficient antecedent basis for this limitation in the claim.

Claim Objections

7. Claim 12 is objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the

Art Unit: 2613

claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form.

Independent claim 4 requires the limitations "...a degree of polarization measurement section that measures the degree of polarization of said optical signal; and an optical SNR calculation section that determines an optical signal to noise ratio of said optical signal <u>based on a measured value of the degree of polarization obtained in said degree of polarization measuring section</u>", while claim 12 requires "...said optical signal to noise ratio calculation section determines an optical signal to noise ratio of said optical signal, based on the measured value of the degree of polarization obtained by the degree of polarization measuring device in said automatic polarization mode dispersion compensation apparatus, **instead of** the degree of polarization measured by said degree of polarization measurement section".

It appears that limitations of claim 12 requires the absence of a required limitation of claim 4. Furthermore, claim 12 appears to be of a different embodiment than that of claim 4, and requires opposite limitations. Therefore, dependent claim 12 fails to further limit independent claim 4. See MPEP 608.01(n), also See *Ex parte Porter*, 25 USPQ2d 1144, 1147 (Bd. of Pat. App. & Inter. 1992).

Claim Rejections - 35 USC § 102

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

9. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Morkel "PMD-induced BER penalties in optically-amplified IM/DD lightwave systems", Electronics Letters, 12 May 1994 vol 30, iss 10.

Regarding to claim 1, **Morkel** teaches a method of monitoring an optical signal to noise ratio (Abstract, "The dependence of electrical SNR on polarization-mode-dispersion (PDM) induced intersymbol interference in optically amplified IM/DD lightwave system is evaluated theoretically and experimentally"),

wherein the degree of polarization of an optical signal transmitted in an optical transmission system is measured (page 806, col 2, 2nd paragraph, "Varying lengths of birefringent fibre, with measured PMD values..."), and

an optical signal to noise ratio of said optical signal is determined based on a measured value of said degree of polarization (page 806, col 2, 2nd paragraph, "The decrease in Q relative to zero PMD for a 2⁷-1 PRBS was recorded as the PMD-induced Q penalty" where Q penalty is defined as electrical-SNR in col 2, line 1.; also, on page 807, col 2, conclusion: "In this work we have evaluated the electrical SNR (Q) penalties induced by PMD in optically-amplified IM/DD light-wave system limited by ASE-induced beat noise").

Claim Rejections - 35 USC § 103

10. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2613

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Page 5

- 11. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 12. Claims 1-6, and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Chou et al.** (US006859268B2), in view of **Morkel** "PMD-induced BER penalties in optically-amplified IM/DD lightwave systems", Electronics Letters, 12 May 1994 vol 30, iss 10.

Regarding claim 4, **Chou** discloses an optical transmission system (*fig 1*) in which an optical signal is transmitted from an optical transmission apparatus (15, fig 1) to an optical receiving apparatus (240, fig 1) via an optical transmission path (22, fig 1), comprising:

a degree of polarization measurement section (110, fig 1) that measures the degree of polarization of said optical signal (col 7, ln 44-col 8, ln 8). Chou does not disclose expressly wherein the system comprising an optical SNR calculation section that determines an optical signal to noise ratio of said optical signal based on a measured value of the degree of polarization obtained in said degree of polarization measuring section. Morkel, from the same field of endeavor, teaches an optical transmission system comprising an optical SNR calculation section

Page 6

that determines an optical signal to noise ratio of said optical signal based on a measured value of the degree of polarization (page 807, 1st paragraph on col 1, "The Q value for each PMD level is then evaluated" with formula (1)). Therefore, it would have been obvious for a person of ordinary skill in the art at the time of invention to apply Morkel's optical SNR calculation section onto Chou's system, such that Chou's computer 120 acts as an optical SNR calculation section that determines an optical signal to noise ratio of said optical signal based on a measured value of the degree of polarization obtained in said degree of polarization measuring section as suggested by Morkel. The motivation for doing so would have been to effectively measure noise caused by polarization dispersion, such that proper compensation may be provided accordingly.

Regarding claim 1, claim 1 is a method claim that introduces limitations that correspond to the limitations introduced by apparatus claim 4. Therefore, the recited means in apparatus claim 4 read on the corresponding steps in method claim 1.

As to claim 2, **Chou** further discloses wherein an initial value of said degree of polarization of said optical signal is stored (col 7, ln 50-col 8, ln 5, the DOP is stored in the computer), and a change amount in the measured value of said degree of polarization relative to said stored initial value is determined (col 13, ln 57-67). **Chou** does not expressly teaches wherein a change amount in the optical signal to noise ratio of said optical signal is determined according to a change amount in the measured value of said degree of polarization relative to said stored initial value. However, **Morkel** teaches that the signal to noise ratio of said optical signal is determined according to the degree of polarization as discussed above (page 807, 1st paragraph on col 1, "The Q value for each PMD level is then evaluated" with formula (1)).

Art Unit: 2613

Therefore, it would have been obvious for a person of ordinary skill in the art at the time of invention to determine a change amount in the optical signal to noise ratio of said optical signal in **the combination of Chou and Morkel's** system according to a change amount in the measured value of said degree of polarization relative to said stored initial value as taught by **Chou** for the same reason as stated above regarding claim 1.

As to claim 3, **Chou** further teaches wherein when the measured value of said degree of polarization exceeds said initial value, the measured value is again set as said initial value (col 14, ln 48-61, "Each data point can be used to increment a matrix, M, with very few floating operations by continuously updating M to include new data and throw out old data").

As to claim 5, **Chou** further discloses wherein said degree of polarization measurement section measures the degree of polarization of an optical signal propagated through said optical transmission path to be input to said optical receiving apparatus (col 5, ln 12-42 polarimeter 110 measure DOP of optical signal along path 160, which is to be input to receiver 240).

As to claim 6, **Chou** further discloses an optical transmission system according to claim 4, further comprising:

at least one optical repeater (100, fig 1) on said optical transmission path, wherein, when an optical signal sent from said optical transmission apparatus is transmitted through a plurality of repeating intervals (100 and 200, fig 1) to be received by said optical receiving apparatus (240, fig 1),

said degree of polarization measurement section measures the degree of polarization of at least one optical signal among an optical signal output from said optical transmission apparatus

each optical signal propagated through each repeating intervals and an optical signal input to said optical receiving apparatus (col 5, ln 56-67).

Claim 12 is rejected for the same reasons as stated above regarding claim 4, because in addition to the limitations in claim 4, **Chou** further teaches when there is provided an automatic polarization mode dispersion compensation apparatus (700, fig 9) including:

a polarization mode dispersion compensator (750, fig 9) compensating for polarization mode dispersion generated in said optical signal (col 11, ln 19-28);

a degree of polarization measuring device (770, fig 9) measuring the degree of polarization of an optical signal whose polarization mode dispersion has been compensated by said polarization mode dispersion compensator (col 11, ln 29-41); and

a control circuit (780, fig 9) controlling a compensation amount in said polarization mode dispersion compensator (col 11, ln 41-47),

based on the measured value of the degree of polarization obtained by the degree of polarization measuring device in said automatic polarization mode dispersion compensation apparatus (col 11, ln 29-53), instead of the degree of polarization measured by said degree of polarization measurement section. It would have been obvious to combine Chou and Morkel for the same reason as stated regarding claim 4, such that said optical signal to noise ratio calculation section in the combination of Chou and Morkel's system determines an optical signal to noise ratio of said optical signal based on a measured result of Chou's degree of polarization measuring device as suggested by Chou.

Art Unit: 2613

13. Claims 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Chou et al.** (US006859268B2), in view of **Morkel** "PMD-induced BER penalties in optically-amplified IM/DD lightwave systems", Electronics Letters, 12 May 1994 vol 30, iss 10, as applied to claim 4 above, and further in view of **Fatchi et al.** (US006512612B1).

Regarding claim 7, the combination of Chou and Morkel discloses the system in accordance to claim 4 as discussed above. Chou further discloses wherein a plurality of optical signals is transmitted, and said degree of polarization measurement section measure the degrees of polarization of the respective optical signals (col 5, ln 13-23). The combination of Chou and Morkel does not disclose expressly having wavelength division multiplexed light containing a plurality of optical signals with different wavelengths. Fatchi, from the same field of endeavor, teaches an optical transmission system, where a wavelength division multiplexed light containing a plurality of optical signals with different wavelengths is transmitted (col 3, ln 61-col 4, ln 4), and a section (250, fig 5) that measures properties of the optical signals of respective wavelengths contained in said wavelength division multiplexed light (col 9, ln 62-col 10, ln 21).

Therefore, it would have been obvious for a person of ordinary skill in the art at the time of invention to transmit a wavelength division multiplexed light containing a plurality of optical signals, as taught by Fatchi, onto the combination of Chou and Morkel's system with SNR calculation section and a polarization measurement section, such that the combination of Chou and Morkel's degree of polarization measurement section measures the degrees of polarization of optical signals of respective wavelengths contained in said wavelength division multiplexed light, and the combination of Chou and Morkel's optical signal to noise ratio calculation section determines optical signal to noise ratios corresponding to respective wavelengths, based

Art Unit: 2613

on measured values of the degrees of polarization obtained by said degree of polarization measurement section as discussed above regarding claim 4. The motivation for doing so would have been to increase the bandwidth of signal transmission while maintaining signal quality by transmitting a wavelength division multiplexed light containing a plurality of optical signals and measuring the noise of the respective signals accordingly.

As to claim 8, Chou further discloses wherein said degree of polarization measurement section and said optical signal to noise ratio calculation section are provided in plural number (101 and 200, fig 1, also see 116a, 117a, and 119a, fig 2). It would be obvious for a person of ordinary skill in the art to use such degree of polarization measurement section and said optical signal to noise ratio calculation section provided in plural number as suggested by Chou for each of the optical signals of respective wavelengths contained in said wavelength division multiplexed light in the combination of Chou, Morkel, and Fatchi's system. The motivation for doing so would have been to be able to detect signal quality in each of the individual channels.

Claim 9 is rejected for the same reasons as stated above regarding claim 7, because in addition to the limitations in claim 7, **Chou** further teaches a selection section that selects one optical signal from the optical signals to be measured (col 5, ln 56-col6, ln 5, "beam splitters 114, 116, 117, and mirror 119 couple optical signals propagating along beam path 112 towards detector modules 114a, 116a, 117a, 119a respectively... Each detector module measures specific optical properties of the optical signal..."). **Fatchi** further teaches a selection section that selects one optical signal from the optical signals to be measured (col 11, ln 35-51). It would have been obvious to combine **Chou**, **Morkel**, and **Fatchi** for the same reason as stated

regarding claim 7, such that a selection section, such as that of **Chou's or Fatehi's**, selects one optical signal from the optical signals of respective wavelengths contained in **the combination of Chou, Morkel, and Fatehi's** wavelength division multiplexed light, wherein said degree of polarization measurement section measures the degree of polarization of an optical signal selected by said selection section, and said optical signal to noise ratio calculation section determines an optical signal to noise ratio of the optical signal selected by said selection section, based on the measured value of the degree of polarization obtained by said degree of polarization measurement section as discussed above regarding claim 7.

As to claim 10, **Fatchi** further discloses said selection section (250, fig 5) includes a demultiplexer (202, fig 5) demultiplexing said wavelength division multiplexed light according to wavelength, and an optical switch selecting one optical signal out of the optical signals of respective wavelengths demultiplexed by said demultiplexer (col 11, ln 35-51). Therefore, it would be obvious for a person of ordinary skill in the art to feed such signal from **Fatchi**'s selection section it to **the combination of Chou, Morkel, and Fatchi**'s degree of polarization measurement section as discussed above regarding claim 9. The motivation for doing so would have been to reduce cost by only measuring a selected portion of the signals.

14. Claim 11 rejected under 35 U.S.C. 103(a) as being unpatentable over **Chou et al.**(US006859268B2), in view of **Morkel** "PMD-induced BER penalties in optically-amplified IM/DD lightwave systems", Electronics Letters, 12 May 1994 vol 30, iss 10, further in view of **Fatchi et al.** (US006512612B1), as applied to claim 9 above, and further in view of **Suzuki** (US006154273A).

Art Unit: 2613

Regarding claim 11, the combination of Chou, Morkel, and Fatehi discloses the method in accordance to claim 9 as discussed above. It does not disclose expressly wherein said selection section includes a variable wavelength optical filter extracting an optical signal of one wavelength from said wavelength division multiplexed light, to feed it to said degree of polarization measurement section. Suzuki, from the same field of endeavor, teaches an optical transmission system having a selection section includes a variable wavelength optical filter (62, 64, fig 12) extracting an optical signal of one wavelength from a wavelength division multiplexed light, to feed it to a measurement section (col 13, ln 35-62). Therefore, it would have been obvious for a person of ordinary skill in the art at the time of invention to use a variable wavelength optical filter such as that of Suzuki's onto the combination of Chou, Morkel, and Fatehi's system to extract an optical signal of one wavelength from said wavelength division multiplexed light, to feed it to said degree of polarization measurement section. The motivation for doing so would have been to reduce complexity of the measuring system by using a variable wavelength optical filter to eliminate signals that are not being measured.

Page 12

15. Claims 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Chou** et al. (US006859268B2), in view of **Morkel** "PMD-induced BER penalties in optically-amplified IM/DD lightwave systems", Electronics Letters, 12 May 1994 vol 30, iss 10., as applied to claim 4 above, and further in view of **Eder et al.** (US006885820B2).

Regarding claim 13, the combination of Chou and Morkel discloses the system in accordance to claim 4 as discussed above. Chou further discloses the system further comprising: a control section (220, fig 1) controlling the optical signal so that the optical signal to noise ratio

Application/Control Number: 10/662,394 Page 13

Art Unit: 2613

of the optical signal received by said optical receiving apparatus is a previously set value. **The combination** does not disclose expressly a control section controlling the power of an optical signal output from said optical transmission apparatus, based on the optical signal to noise ratio determined by said optical signal to noise ratio calculation section, so that the optical signal to noise ratio of the optical signal received by said optical receiving apparatus is a previously set value. **Eder**, from the same field of endeavor, teaches a control section (*OSNR controller, fig 1*) controlling the power of an optical signal output from said optical transmission apparatus (*col 7, ln 41-47*),

based on the optical signal to noise ratio determined by a optical signal to noise ratio calculation section (col 7, ln 19-47, OSNR signal controls the adjustable attenuators VOA2 and VOAn, which controls the power of optical output of the transmitter),

so that the optical signal to noise ratio of the optical signal received by said optical receiving apparatus is a previously set value (col 7, ln 42-54). Therefore, it would have been obvious for a person of ordinary skill in the art at the time of invention to apply a control section controlling the power of an optical signal output from the combination of Chou and Morkel's transmission apparatus, based on the optical signal to noise ratio determined by the combination of Chou and Morkel's signal to noise ratio calculation section, so that the optical signal to noise ratio of the optical signal received by said optical receiving apparatus is a previously set value as taught by Eder. The motivation for doing so would have been to achieve the optimum optical signal to noise ratio by adjusting transmission power.

As to claim 14, **Eder** further discloses wherein, when a wavelength division multiplexed light containing a plurality of optical signals with different wavelengths is transmitted (col 7, ln 1-14),

said control section performs a pre-emphasis control of the optical signal power of each wavelength output from said optical transmission apparatus (col 7, ln 41-54),

based on the optical signal to noise ratio corresponding to each wavelength determined by said optical signal to noise ratio calculation section (col 7, ln 14-36).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Danny Wai Lun Leung whose telephone number is (571) 272-5504. The examiner can normally be reached on 9:30am-9:00pm Mon-Thur.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jason Chan can be reached on (571) 272-3022. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Art Unit: 2613

DWL December 14, 2006

JASON CHAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600